*Journal of Immuological Methods*, 127 (1990) 294–295
Elsevier

# Contents to volume 127 (1990)

**Number 1 — 20 February 1990**

*Research reports*

Production and characterization of monoclonal antibodies against human Cu/Zn superoxide dismutase and the establishment of a super-rapid enzyme-linked immunosorbent assay (SURALISA)
*T. Porstmann, R. Wietschke, R. Grunow, S. Jahn, B. Porstmann, H. Schmechta, M. Pergande and R. Von Baehr (G.D.R.)* 1

A modified colorimetric assay of macrophage activation for intracellular cytotoxicity against *Leishmania* parasites
*A.F. Kiderlen and P.M. Kaye (U.K.)* 11

A simple method for measuring patient anti-globulin responses against isotypic or idiotypic determinants
*S.P. Cobbold, P.R.U.B. Rebello, H.Ff.S. Davies, P.J. Friend and M.R. Clark (U.K.)* 19

Measurement of association constants in ELISA. Reactions between solid-phase antibody and fluid-phase biotinylated antigen
*J.S. Murray and J.C. Brown (U.S.A.)* 25

Culture of human tumor infiltrating lymphocytes in hollow fiber bioreactors
*R.A. Knazek, Y.-W. Wu, P.M. Aebersold and S.A. Rosenberg (U.S.A.)* 29

Increased yield of antibody-producing murine spleen cell hybridomas from fusions cultured in medium supplemented with mouse serum
*M.A.A. Persson and R.A. Lerner (U.S.A.)* 39

Haptenated nylon-coated polystyrene plates as a solid phase for ELISA
*J.A. Verschoor, N.M.J. Vermeulen and L. Visser (Republic of South Africa)* 43

Measurement of cytokine release by human cells. A quantitative analysis at the single cell level using the reverse haemolytic plaque assay
*C.E. Lewis, S.P. McCarthy, P.S. Richards, J. Lorenzen, E. Horak and J.O'D. McGee (U.K.)* 51

A rapid technique for lymphocyte preparation prior to two-color immunofluorescence analysis of lymphocyte subsets using flow cytometry. Comparison with density gradient separation
*I. Mansour, P. Bourin, P. Rouger and C. Doinel (France)* 61

Measurement of macrophage adherence and spreading with weak electric fields
*M. Kowolenko, C.R. Keese, D.A. Lawrence and I. Giaever (U.S.A.)* 71

The use of primed cytotoxic T lymphocytes as a highly sensitive and accurate method for the detection of MHC disparate allogeneic cells
*J.C. Richardson and R.B. Levy (U.S.A.)* 79

Solid-phase monoclonal antibodies. A novel method of directing the function of biologically active molecules by presenting a specific orientation
*P.A. Underwood, J.G. Steele, B.A. Dalton and F.A. Bennett (Australia)* 91

Rapid one-step sandwich enzyme immunoassay for tissue inhibitor of metalloproteinases. An application for rheumatoid arthritis serum and plasma
*S. Kodama, K. Iwata, H. Iwata, K. Yamashita and T. Hayakawa (Japan)* 103

Production and characterisation of monoclonal antibodies to parathyroid hormone-related protein
*W.A. Ratcliffe, S. Hughes, M.G. Gilligan, D.A. Heath and J.G. Ratcliffe (U.K.)* 109

A new sensitive assay for measurement of cell-mediated cytotoxicity to intact layers of cultured human keratinocytes
*M.M. De Bueger, C.A.C.M. Van Els, J. Kempenaar, M. Ponec and E. Goulmy (The Netherlands)* 117

Rabbit antisera to the variable region domains of an anti-α(1 → 6)dextran using *E. coli*-produced $V_L$ and $V_H$ fusion proteins as immunogens
*A. Black, E.A. Kabat and S.L. Morrison (U.S.A.)* 123

HPLC immunoaffinity purification of rabies virus glycoprotein using immobilized antipeptide antibodies
*A. Santucci, M. Rustici, L. Bracci, L. Lozzi, P. Soldani and P. Neri (Italy)* 131

An ELISA for the detection of anti-neutrophil cytoplasm antibodies (ANCA)
*N. Rasmussen, C. Sjölin, B. Isaksson, P. Bygren and J. Wieslander (Denmark, Sweden)* 139

*Letter to the editors*

Immobilization of immunoglobulins on ethanol-treated ABS beads for radioimmunoassays
*S.E. Kakabakos, G.P. Evangelatos and D.S. Ithakissios (Greece)* 147

0022-1759/90/$03.50 © 1990 Elsevier Science Publishers B.V. (Biomedical Division)

*Journal of Immuological Methods*, 127 (1990) 294–295
Elsevier

# Contents to volume 127 (1990)

**Number 1 — 20 February 1990**

*Research reports*

Production and characterization of monoclonal antibodies against human Cu/Zn superoxide dismutase and the establishment of a super-rapid enzyme-linked immunosorbent assay (SURALISA)
*T. Porstmann, R. Wietschke, R. Grunow, S. Jahn, B. Porstmann, H. Schmechta, M. Pergande and R. Von Baehr (G.D.R.)* 1

A modified colorimetric assay of macrophage activation for intracellular cytotoxicity against *Leishmania* parasites
*A.F. Kiderlen and P.M. Kaye (U.K.)* 11

A simple method for measuring patient anti-globulin responses against isotypic or idiotypic determinants
*S.P. Cobbold, P.R.U.B. Rebello, H.Ff.S. Davies, P.J. Friend and M.R. Clark (U.K.)* 19

Measurement of association constants in ELISA. Reactions between solid-phase antibody and fluid-phase biotinylated antigen
*J.S. Murray and J.C. Brown (U.S.A.)* 25

Culture of human tumor infiltrating lymphocytes in hollow fiber bioreactors
*R.A. Knazek, Y.-W. Wu, P.M. Aebersold and S.A. Rosenberg (U.S.A.)* 29

Increased yield of antibody-producing murine spleen cell hybridomas from fusions cultured in medium supplemented with mouse serum
*M.A.A. Persson and R.A. Lerner (U.S.A.)* 39

Haptenated nylon-coated polystyrene plates as a solid phase for ELISA
*J.A. Verschoor, N.M.J. Vermeulen and L. Visser (Republic of South Africa)* 43

Measurement of cytokine release by human cells. A quantitative analysis at the single cell level using the reverse haemolytic plaque assay
*C.E. Lewis, S.P. McCarthy, P.S. Richards, J. Lorenzen, E. Horak and J.O'D. McGee (U.K.)* 51

A rapid technique for lymphocyte preparation prior to two-color immunofluorescence analysis of lymphocyte subsets using flow cytometry. Comparison with density gradient separation
*I. Mansour, P. Bourin, P. Rouger and C. Doinel (France)* 61

Measurement of macrophage adherence and spreading with weak electric fields
*M. Kowolenko, C.R. Keese, D.A. Lawrence and I. Giaever (U.S.A.)* 71

The use of primed cytotoxic T lymphocytes as a highly sensitive and accurate method for the detection of MHC disparate allogeneic cells
*J.C. Richardson and R.B. Levy (U.S.A.)* 79

Solid-phase monoclonal antibodies. A novel method of directing the function of biologically active molecules by presenting a specific orientation
*P.A. Underwood, J.G. Steele, B.A. Dalton and F.A. Bennett (Australia)* 91

Rapid one-step sandwich enzyme immunoassay for tissue inhibitor of metalloproteinases. An application for rheumatoid arthritis serum and plasma
*S. Kodama, K. Iwata, H. Iwata, K. Yamashita and T. Hayakawa (Japan)* 103

Production and characterisation of monoclonal antibodies to parathyroid hormone-related protein
*W.A. Ratcliffe, S. Hughes, M.G. Gilligan, D.A. Heath and J.G. Ratcliffe (U.K.)* 109

A new sensitive assay for measurement of cell-mediated cytotoxicity to intact layers of cultured human keratinocytes
*M.M. De Bueger, C.A.C.M. Van Els, J. Kempenaar, M. Ponec and E. Goulmy (The Netherlands)* 117

Rabbit antisera to the variable region domains of an anti-α(1 → 6)dextran using *E. coli*-produced $V_L$ and $V_H$ fusion proteins as immunogens
*A. Black, E.A. Kabat and S.L. Morrison (U.S.A.)* 123

HPLC immunoaffinity purification of rabies virus glycoprotein using immobilized antipeptide antibodies
*A. Santucci, M. Rustici, L. Bracci, L. Lozzi, P. Soldani and P. Neri (Italy)* 131

An ELISA for the detection of anti-neutrophil cytoplasm antibodies (ANCA)
*N. Rasmussen, C. Sjölin, B. Isaksson, P. Bygren and J. Wieslander (Denmark, Sweden)* 139

*Letter to the editors*

Immobilization of immunoglobulins on ethanol-treated ABS beads for radioimmunoassays
*S.E. Kakabakos, G.P. Evangelatos and D.S. Ithakissios (Greece)* 147

0022-1759/90/$03.50 © 1990 Elsevier Science Publishers B.V. (Biomedical Division)

295

*Book review* 149

*Announcement* 151

*Notes to authors* 152

**Number 2 — 9 March 1990**

*Review article*

Isolation of eosinophils from human blood
*T.T. Hansel, J.D. Pound and R.A. Thompson (U.K.)* 153

*Research reports*

A sandwich-type enzyme immunoassay to detect immunoreactive big-endothelin-1 in plasma
*N. Suzuki, H. Matsumoto, C. Kitada, S. Kimura, T. Miyauchi and M. Fujino (Japan)* 165

Selection of monoclonal antibodies for use in an immunometric assay for carcinoembryonic antigen
*O.P. Börmer and K. Nustad (Norway)* 171

Preparation, application and biological characterization of interleukin-1$\beta$ mutant protein biotinylated at a single site
*A. Chollet, J.-Y. Bonnefoy and N. Odermatt (Switzerland)* 179

Monoclonal antibodies from Epstein-Barr virus-transformed lymphocytes of common marmosets (*Callithrix jacchus*) immune to malaria
*D.A. Johnston, A.M. Knight, B.A. Naylor, N. Wedderburn and G.H. Mitchell (U.K.)* 187

Flow cytometric measurement of cytoplasmic free calcium in human peripheral blood T lymphocytes with fluo-3, a new fluorescent calcium indicator
*P.A. Vandenberghe and J.L. Ceuppens (Belgium)* 197

A flow cytometric rosetting assay for the analysis of IgG-Fc receptor interactions
*W.B. Tuijnman, J.G.J. Van de Winkel and P.J.A. Capel (The Netherlands)* 207

An improved method for immobilizing IgG antibodies on protein A-agarose
*T.H. Sisson and C.W. Castor (U.S.A.)* 215

A method to generate antigen-specific suppressor T cells in vitro from peripheral blood T cells of honey bee venom-sensitive, allergic patients
*C. Carini, M. Iwata, J. Warner and K. Ishizaka (U.S.A.)* 221

Detection of adenovirus type41 in stool samples by a latex agglutination method
*T. Sanekata, K. Taniguchi, M. Demura and K. Fujinaga (Japan)* 235

A sensitive antiviral neutralization bioassay for measuring antibodies to interferons
*M.B. Hansen, C. Ross and K. Berg (Denmark)* 241

Serum-manganese-superoxide dismutase: normal values and increased levels in patients with acute myocardial infarction and several malignant diseases determined by an enzyme-linked immunosorbent assay using a monoclonal antibody
*T. Kawaguchi, K.-i. Suzuki, Y. Matsuda, T. Nishiura, T. Uda, M. Ono, C. Sekiya, M. Ishikawa, S. Iino, Y. Endo and N. Taniguchi (Japan)* 249

A new radioimmunoassay for the thymic peptide thymulin, and its application for measuring thymulin in blood samples
*B. Safieh, M.D. Kendall, J.C. Norman, E. Metreau, M. Dardenne, J.F. Bach and J.M. Pleau (U.K., France)* 255

A monoclonal antibody which blocks the function of factor D of human complement
*M. Pascual, E. Catana, F. Spertini, K. Macon, J.E. Volanakis and J.A. Schifferli (Switzerland, U.S.A.)* 263

A fluorescence method for the visualization of inflammatory cells in intestinal mucosa
*L.-G. Axelsson and S. Ahlstedt (Sweden)* 271

A neonatally tolerant mouse model to assess pathogenicity of human autoantibodies
*S. Mundlos, I.R. Mackay, I.H. Frazer and M. Rowley (Australia)* 279

*Technical note*

The demonstration of HLA-D proteins by an amplified alkaline phosphatase/anti-alkaline phosphatase detection system in wax-processed human lung tissue fixed in 10% formol saline
*K.C. Hickling, P.J. Kerry and B. Greenwood (U.K.)* 285

*Letter to the editors*

Deoxyribonuclease I treatment of histones for the detection of anti-histone antibodies in solid-phase immunoassays. Effect of protease contamination in commercial deoxyribonuclease I preparations
*M. Monestier, T.M. Fasy, M.E. Debbas and K. Patel (U.S.A.)* 289

*Announcements* 293

*Contents to volume 127 (1990)* 294

*Notes to authors* 296